

TABLE 22.—Physical disabilities resulting from wounds (excluding fatal cases), by military agents, officers, and enlisted men, 1817-18: absolute numbers and percentage of each disability to the total number of cases wounded by the military agents.—Continued

Results	Wife		Shall and shrapnel		Hand grenades		Other gunshot		Others		Total	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total absolute.	26,420		51,228		880		23,125		3,886		152,537	
Elbow, left:												
Ankylosis, bony, of	4	0.02	19	0.04	1	0.11	14	0.02	1	0.02	39	0.02
Ankylosis, fibrous, of	26	0.10	65	0.12			54	0.23	4	0.10	149	0.09
Ankylosis, partial, and deformation, of	53	0.20	76	0.15			42	0.18	5	0.13	176	0.11
Arthritis, chronic, of			2	0.00							2	0.00
Flail joint of	2	0.01	2	0.00			1	0.00			5	0.00
Synovitis, chronic, of							1	0.00			1	0.00
Elbow, both:												
Ankylosis, bony, of												
Ankylosis, fibrous, of												
Ankylosis, partial, and deformation, of			2	0.00							2	0.00
Arthritis, chronic, of												
Elbow, r. & l.:												
Ankylosis, bony, of	8	0.04	4	0.01			19	0.08			31	0.02
Ankylosis, fibrous, of	16	0.06	25	0.05			52	0.22	2	0.05	105	0.07
Ankylosis, partial, and deformation, of	26	0.10	42	0.08	1	0.11	12	0.05	1	0.02	78	0.05
Flail joint of	1	0.00	1	0.00							4	0.00
Eye, right:												
Loss of	13	0.05	129	0.25	6	0.68	64	0.28	6	0.15	218	0.14
Loss of sight of	65	0.25	41	0.08	1	0.12	23	0.10	10	0.27	99	0.06
Eye, left:												
Loss of	19	0.07	115	0.23	7	0.80	77	0.33	1	0.03	219	0.15
Loss of sight of	6	0.02	41	0.08			17	0.07	2	0.05	66	0.04
Eye, both:												
Loss of	3	0.01	10	0.02	1	0.11					14	0.01
Loss of sight of	1	0.00	23	0.04	1	0.11	4	0.01	2	0.05	30	0.02
Eye, r. & l.:												
Loss of	1	0.00	26	0.04			7	0.03			34	0.02
Loss of sight, one eye	2	0.01	16	0.04			6	0.03	1	0.02	25	0.02
Amputations			2	0.01	1	0.11					3	0.00
Ankylosis	6	0.02	16	0.04	1	0.11	65	0.28	4	0.09	88	0.06
Cataract, traumatic	1	0.00	21	0.04	4	0.45	1	0.00	1	0.02	31	0.02
Face:												
Amputation of	21	0.12	31	0.10			66	0.28	2	0.05	120	0.08
Paralysis of facial nerve (right side)	4	0.02	11	0.03			9	0.04			24	0.02
Paralysis of facial nerve (left side)	1	0.01	11	0.03			9	0.04			21	0.01
Paralysis of facial nerve (both sides)												
Frost, right, below joint of	1	0.00	11	0.02					1	0.02	13	0.01
Frost, below joint of right side									1	0.00	1	0.00
Frost, and rhyta, below joint of, right side											1	0.00
Foot, right:												
Flail foot, traumatic			2	0.00			1	0.00			3	0.00
Loss of	7	0.03	4	0.01	1	0.11	4	0.01			16	0.01
Loss of part of	25	0.12	53	0.10	1	0.11	69	0.29	7	0.18	145	0.09
Paralysis of	4	0.02	7	0.01			6	0.03	1	0.02	18	0.01
Foot, left:												
Flail foot, traumatic	1	0.00	1	0.00			1	0.00			3	0.00
Loss of	1	0.00	1	0.01			1	0.00			3	0.01
Loss of part of	25	0.12	63	0.12			57	0.24	4	0.09	149	0.09
Paralysis of	1	0.00	16	0.03			9	0.04			26	0.02
Foot, both:												
Flail foot, traumatic							1	0.00			2	0.00
Loss of											1	0.01
Loss of part of											2	0.00
Foot, r. & l.:												
Ankylosis of one or more joints	26	0.10	223	0.43			63	0.27	2	0.05	314	0.20
Loss of			2	0.00							2	0.00
Furrows, right:												
Loss of, above wrist	9	0.04	56	0.11	14	1.59	1	0.01	1	0.02	81	0.05
Necrosis, following injury			2	0.00							2	0.00
Furrows, left:												
Loss of, above wrist	14	0.07	56	0.10	26	2.82	12	0.51	1	0.02	109	0.07
Necrosis, following injury			1	0.00			1	0.00	1	0.02	4	0.00
Furrows, both, loss of, above wrist:												
Loss of all	1	0.00	2	0.00	2	0.23	1	0.00			6	0.00
Loss of all wrist	1	0.00	8	0.02	2	0.23					11	0.01
Loss of part of	111	0.42	263	0.51	7	0.80	226	0.98	9	0.23	617	0.40
Hand, left:												
Loss of all			1	0.01			14	0.06			15	0.01
Loss of all wrist			1	0.00	1	0.11	5	0.02			7	0.00
Loss of part of	182	0.69	323	0.62	13	1.49	252	0.10	12	0.30	670	0.43