

TABLE 16.—BLOOD CHANGES IN 69 SEVERELY WOUNDED MEN CLASSIFIED
ACCORDING TO DEGREE OF SHOCK

B. Slight Shock—20 Patients

Case No.	Blood Volume and Total Hemoglobin Determinations <i>Percent deviation from normal</i>						Blood Pressure at Time of Blood Volume Determination <i>mm. Hg</i>	Time after Wounding <i>hours</i>	Blood Sugar <i>mg. per 100 cc.</i>
	Blood Volume			Hemoglobin					
	From Observed Value	By Correction		From Observed Value	By Correction				
		A	B		A	B			
83	+13.1	-3.3	-0.8	-3.9	-16.1	-16.1	130/70	5 ¼	—
111	-2.7	-7.1	-7.1	-5.1	-5.1	-5.1	120/80	14 ½	157
113	-14.9	-20.2	-20.2	-23.4	-28.2	-28.2	94/58	3 ¾	149
127	-39.8	-59.4	-44.2	-63.1	-65.9	-65.9	90/40	11	—
128	+6.2	-49.8	-32.6	-9.7	-39.8	-39.8	110/80	6 ½	184
140	+16.8	-1.1	-1.1	+11.7	-5.8	-5.8	100/60	4 ½	141
141	-20.2	-25.5	-25.5	-34.7	-39.1	-39.1	100/60	7	131
144	+8.8	-6.7	-1.5	-30.0	-36.6	-36.6	90/62	12 ¼	—
145	-8.4	-15.7	-12.1	-27.8	-30.7	-30.7	100/50	9	—
A-1	-9.3	-17.4	-14.0	-17.8	-22.6	-22.6	116/60	2 ¾	155
A-2	-2.3	-2.3	-2.3	-9.6	-9.6	-9.6	114/62	4 ¾	170
A-5	-25.3	-25.3	-25.3	-35.6	-35.6	-35.6	120/86	8	106
A-8	-14.8	-14.8	-14.8	-23.3	-23.3	-23.3	108/70	10	—
A-10	-3.7	-3.7	-3.7	-28.4	-28.4	-28.4	108/74	11 ½	—
A-11	-29.9	-33.4	-29.9	-37.4	-37.4	-37.4	110/76	5 ¾	79
A-17	-41.5	-63.9	-49.0	-61.6	-69.1	-69.1	140/60	3 ½	201
A-20	-34.1	-37.9	-34.1	-56.6	-56.6	-56.6	92/50	13 ¾	145
A-25	-18.7	-22.3	-18.7	-15.1	-15.1	-15.1	126/80	3 ¾	140
A-26	-7.4	-7.4	-7.4	-23.1	-23.1	-23.1	110/70	4	196
A-40	+3.5	+3.5	+3.5	-5.5	-5.5	-5.5	100/64	3 ½	126